

welded joint


FRONT VIEW

hardware cloth 14" to 1/2"

REFERENCE NOTE

for more information.

Wildlife ladders that work with most round, rectangular and square troughs. See Idaho BLM Technical Bulletin 89-4 "Wildlife Watering and Escape Ramp on Livestock Water Developments: Suggestions and Recommendations"



Triangular shaped wildlife ladder recommended for rectangular and concave bottom trough.

ISOMETRIC

BRACKET D

Cone shaped wildlife ladders are recommended for circular troughs.

Drawing not to scale.

rawing No. or_lsk_escape_str_screens ile Name United States Department of Agriculture

RAMP DETAIL

ESCAPE STRUCTURE SCREENS

	Date
Designed see ref. note	
Drawnkly	1/2008
Checked	
Approved	
Title	-

if hinges are not desired)

galvanized wire

wire hardware cloth to rebar with


ladder (see bracket detail below hinged, bolted or welded to


1/8" x 1" wide x 16" long steel strap to fold over trough lip braces 1/2" x 1/2" angle iron all around

ISOMETRIC

REFERENCE NOTE


Wildlife ladders that work with most round, rectangular and square troughs. See Idaho BLM Technical Bulletin 89—4 "Wildlife Watering and Escape Ramp on Livestock Water Developments: Suggestions and Recommendations" for more information.





Natural Resources Conservation Service
United States Department of Agriculture

RAMP DETAIL
ESCAPE STRUCTURE SREENS



Fencing and post arrangement to protect wildlife ramp leading into a livestock watering facility.

not to scale. Drawing No. ile Name United States Department of Agriculture

RAMP DETAIL ESCAPE STRUCTURE SCREENS

Wildlife ladders that work with most round, rectangular and square troughs. See Idaho BLM Technical Bulletin 89-4 "Wildlife Watering and Escape Ramp on Livestock Water Developments: Suggestions and Recommendations" for more information.

REFERENCE